



ACO Gravity

Roof Drainage

HyDrain





Domestic and Commercial Flat Roof Drainage system

HyDrain

Full-bore roof drain for flat concrete roofs/ roof gardens or planter boxes.

This product acts as a full-bore and is a suitable replacement to the common cast iron full-bore that has traditionally been installed on flat concrete roofs to drain rainwater.



Key Benefits

- Easy to install and maintain ensuring a quality finish.
- Manufactured from Green sustainable & recyclable materials.
- Domed Grate will not rust over time (Ideal for both coastal and inland installations)
- Waterproofing Flange can be trimmed to fit awkward spaces.
- ISO 9001 certified.



Product Range and specification



HyDrain

Product Range

- two tiered domed grate
- waterproofing flange
- 50mm or 75mm vertical/horizontal outlet.



| Image | Code | Description |
|-------|----------|---|
| | AC097802 | ACO HyDrain Complete with 75mm Side Outlet |
| | AC097803 | ACO HyDrain Complete with 75mm Bottom Outlet |
| | AC097804 | ACO HyDrain Complete with 50mm Side Outlet |
| | AC097805 | ACO HyDrain Complete with 50mm Bottom Outlet |
| | AC200030 | ACO Full-bore HyDrain 160mm Dia Outlet with Flange & Domed Grate (160mm socket sold separately) |
| | AC097704 | ACO HyDrain 2nd Fix Dome Grate & Flange (incl 110mm dia outlet) |
| | AC097702 | ACO HyDrain 1st Fix F-Box 75mm Side Outlet |
| | AC097703 | ACO HyDrain 1st Fix F-Box 75mm Bottom Outlet |
| | AC097800 | ACO HyDrain 1st Fix F-Box 50mm Side Outlet |
| | AC097801 | ACO HyDrain 1st Fix F-Box 50mm Bottom Outlet |

Every product from ACO supports the ACO system chain



- Drainage channels and gratings
- Road and point drainage
- Access covers
- Manhole covers
- Oil separators
- Grease separators
- Bridge drains
- Parking area drainage
- Sport facility drainage



Your local sales contact

ACO Systems SA
122 Shad Road
Wadeville Ext 2
Germiston
Gauteng
South Africa
0157

Tel: +27 11 824 3525/6

Email: info@aco.co.za

www.aco.co.za

www.buildingdrainage.aco

www.hygienefirst.com

