



**ACO. creating
the future of drainage**

ACO ShowerDrain

Borderless drainage solutions



ACO Shower Drainage



ACO ShowerDrain channel and grating


Domestic and residential shower drainage system

The ShowerDrain range is characterized by modern design and perfect functionality.

The design comprise of high quality stainless steel which is used for the production of the shower channel and grating.

The foul air trap is made out of polypropylene.

From the user ´s point of view the ACO ShowerDrain excelled especially by the high flow rate, very low construction height and very easy maintenance.




Why choose the ACO ShowerDrain channel and grating ?

Practical, flexible design options for every project

- Variety of design options
- Safe, assembly-friendly installation
- Easy accessibility
- Flat welded joints
- High drain performance with additional gullies
- Gully bodies positions fitted to individual application




Products for every requirement



Hotel, wellness and spa facilities




Health and care facilities



Private and public residential buildings

Channel information



Channel body: Stainless steel
Gully body: Plastic
Load class: K3
Internal channel width: 80 mm
Minimum building height: 54 mm with inclination 1,5°
Flow rate: 0,4 l/s (with 10 mm build-up)
0,46 l/s (with 20 mm build-up as per EN 1253-1)
Outlet socket: Suitable for all push-fit pipe socket systems
Mounting: Modular assembly system consisting of channel body, screwed gully body and design grating body, screwed gully body and design grating
Flange types: Surrounding, wall flange
Socket version: ND 40/ND 50
Foul air trap: One-piece with removable submersible pipe
Flexible for any installation situation


Standard outlet range



Code: 9010.81.20
Description: Horizontal outlet; Installation height 100-128mm;
Trap 50mm



Code: 9010.81.21
Description: Horizontal outlet; Installation height 80-128mm; Trap 30mm;



Code: 9010.81.22
Description: Horizontal outlet; Installation height 54-128mm; Trap 25mm



Code: 9010.81.23
Description: Vertical outlet; Installation height 15-128mm; Trap 50mm


Standard Grate Profiles



Slotted grate



Solid grate



Square grate



Round Hole grate



Tile insert



Arrow grate

❖ Custom lengths and grating designs available on request

Standard order data

ACO Linear Showedrain M+ Channel and Outlet

	Z9010.06.20	ShowerDrain M500 Channel without grate; Horizontal; Installation height 100-128mm; Trap 50mm
	Z9010.06.21	ShowerDrain M500 Channel without grate; Horizontal; Installation height 80-128mm; Trap 30mm
	Z9010.06.22	ShowerDrain M500 Channel without grate; Horizontal; Installation height 54-128mm; Trap25mm
	Z9010.06.23	ShowerDrain M500 Channel without grate; Vertical; Installation height 15-128mm; Trap 50mm
	Z9010.00.20	ShowerDrain M700 Channel without grate; Horizontal; Installation height 100-128mm; Trap 50mm
	Z9010.00.21	ShowerDrain M700 Channel without grate; Horizontal; Installation height 80-128mm; Trap 30mm
	Z9010.00.22	ShowerDrain M700 Channel without grate; Horizontal; Installation height 54-128mm; Trap25mm
	Z9010.00.23	ShowerDrain M700 Channel without grate; Vertical; Installation height 15-128mm; Trap 50mm
	Z9010.02.20	ShowerDrain M900 Channel without grate; Horizontal; Installation height 100-128mm; Trap 50mm
	Z9010.02.21	ShowerDrain M900 Channel without grate; Horizontal; Installation height 80-128mm; Trap 30mm
	Z9010.02.22	ShowerDrain M900 Channel without grate; Horizontal; Installation height 54-128mm; Trap25mm
	Z9010.02.23	ShowerDrain M900 Channel without grate; Vertical; Installation height 15-128mm; Trap 50mm



Standard order data

ACO Linear Showedrain M+ Grating Profiles		
	Z9010.06.51	ShowerDrain M500 square grate; S/S 304 grate
	Z9010.00.51	ShowerDrain M700 square grate; S/S 304 grate
	Z9010.02.51	ShowerDrain M900 square grate; S/S 304 grate
	Z9010.06.52	ShowerDrain M500 slotted grate; S/S 304 grate
	Z9010.00.52	ShowerDrain M700 slotted grate; S/S 304 grate
	Z9010.02.52	ShowerDrain M900 slotted grate; S/S 304 grate
	Z9010.06.53	ShowerDrain M500 with tile insert; S/S 304 grate
	Z9010.00.53	ShowerDrain M700 with tile insert; S/S 304 grate
	Z9010.02.53	ShowerDrain M900 with tile insert; S/S 304 grate
	Z9010.06.54	ShowerDrain M500 solid grate; S/S 304 grate
	Z9010.00.54	ShowerDrain M700 solid grate; S/S 304 grate
	Z9010.02.54	ShowerDrain M900 solid grate; S/S 304 grate
	Z9010.06.55	ShowerDrain M500 round hole grate; S/S 304 grate
	Z9010.00.55	ShowerDrain M700 round hole grate; S/S 304 grate
	Z9010.02.55	ShowerDrain M900 round hole grate; S/S 304 grate
	Z9010.06.56	ShowerDrain M500 Arrow grate; S/S 304 grate
	Z9010.00.56	ShowerDrain M700 Arrow grate; S/S 304 grate
	Z9010.02.56	ShowerDrain M900 Arrow grate; S/S 304 grate

ACO Shower Drainage



Installation pictures



Your local sales contact

ACO Systems SA

**122 Shad Road
Wadeville Ext 2
Germiston
Gauteng
South Africa
0157**

**Tel: +27 11 824 3525/6
Email: info@aco.co.za**

**www.aco.co.za
www.buildingdrainage.aco
www.hygienefirst.com**



www.aco.co.za



www.buildingdrainage.aco



www.hygienefirst.com

